

**SINOAMIGO**

*Enjoy the connection*

## STS-SC Series SLIDING LID DESK OUTLET

• STS-SC03 • STS-SC03Qi • STS-SC04Qi



Scan here to watch video



[www.sinoamigo.com](http://www.sinoamigo.com)

SINOAMIGO ELECTRIC CO.,LIMITED


A5 building, Suly industrial zone,  
Yueqing city, Zhejiang province 325604

Tel:0086-577-6271 9577


Fax:0086-577-6173 0882

Email:mkt@sinoamigo.com







STS-SC03S/2F




STS-SC03B/3F




STS-SC03B/2F/Qi



STS-SC03B/1F




STS-SC03B/3F/Qi




STS-SC04S/2F/Qi





### Minimalist Design

Designed with a minimalist aesthetic in mind. The sleek Aluminum cover panel not only provides durability but also enhances the overall appearance of your workspace. Its streamlined design seamlessly blends with any decor, adding a touch of sophistication to your desk.




### Effortless Access to Power Sockets

The sliding lid features a unique magnetic mechanism, providing effortless access to power sockets. This innovative design eliminates the need for strenuous pulling. A gentle push is all it takes to transition between open and closed states, making it agile and user-friendly.



### 15W Wireless Charging

Equipped with a 15W wireless charging pad which allows you to conveniently charge your compatible devices without the need for tangled wires or misplaced chargers. Simply place your device on the charging pad and enjoy a fast, efficient charging experience.



### Easy Installation

The installation process is straightforward and hassle-free, you have this desk outlet up and running in no time.

■ STS-SC03 SERIES



STS-SC03B/1F



STS-SC03B/2F



STS-SC03B/3F



STS-SC03S/1F



STS-SC03S/2F




STS-SC03S/3F

Model	Color	Material	Version (Module capacity)	Cutout (mm)
STS-SC03B/1F	Black	Aluminium+PVC	2	73×70
STS-SC03S/1F	Silver	Aluminium+PVC	2	73×70
STS-SC03B/2F	Black	Aluminium+PVC	4	125×70
STS-SC03S/2F	Silver	Aluminium+PVC	4	125×70
STS-SC03B/3F	Black	Aluminium+PVC	6	175×70
STS-SC03S/3F	Silver	Aluminium+PVC	6	175×70


*\*Can be customized as per desired modules requirement.*

■ DIMENSIONAL DRAWINGS



STS-SC03  
1 modules unit



STS-SC03  
2 modules unit



STS-SC03  
3 modules unit



*\*The length of the unit can be customized to suit your specific needs,subject to MOQ.  
For more information, please contact our sales representative.*



■ STS-SC03Qi SERIES




STS-SC03B/2F/Qi



STS-SC03B/3F/Qi



STS-SC03S/2F/Qi




STS-SC03S/3F/Qi


Model	Color	Material	Wireless charging	Version (Module capacity)	Cutout (mm)
STS-SC03B/2F/Qi	Black	Aluminium+PVC	15W	4	210×70
STS-SC03S/2F/Qi	Silver	Aluminium+PVC	15W	4	210×70
STS-SC03B/3F/Qi	Black	Aluminium+PVC	15W	6	260×70
STS-SC03S/3F/Qi	Silver	Aluminium+PVC	15W	6	260×70

*\*Can be customized as per desired modules requirement.*

■ SLIDING ACCESS AND 15W WIRELESS CHARGING




**Accessing power outlets**  
Slide open the lid to access the power outlets.  
Slide back the lid to conceal the power outlets when not in use.



**Wireless Charging**  
Place the device gently on the top of cover and charge, compatible with all Qi enabled devices. Make sure the center of the device is aligned over the center of the charging base.

■ DIMENSIONAL DRAWINGS




*\*The length of the unit can be customized to suit your specific needs,subject to MOQ.  
For more information, please contact our sales representative.*






■ STS-SC04Qi SERIES



STS-SC04B/2F/Qi




STS-SC04S/2F/Qi

Model	Color	Material	Wireless charging	Version (Module capacity)	Cutout (mm)
STS-SC04B/2F/Qi	Black	Aluminium+PVC	15W	4	247×70
STS-SC04S/2F/Qi	Silver	Aluminium+PVC	15W	4	247×70


*\*Can be customized as per desired modules requirement.*

■ SLIDING ACCESS AND 15W WIRELESS CHARGING




Accessing power outlets

Slide open the lid to access the power outlets.  
Slide back the lid to conceal the power outlets when not in use.




Wireless Charging

Place the device gently on the top of cover and charge, compatible with all Qi enabled devices. Make sure the center of the device is aligned over the center of the charging base.




■ DIMENSIONAL DRAWINGS

STS-SC04/2F/Qi  
2 modules unit




*\* The length of the unit can be customized to suit your specific needs, subject to MOQ.  
For more information, please contact our sales representative.*


■ INSTALLATION INSTRUCTIONS




**1** Cut a rectangular hole on the desired work surface according to the specified cutout dimensions.




**2** Install the device into the cutout, ensuring it is completely flush with the surface.



**3** Complete the installation of the device by mounting it to the edge of the workbench.



**4** If the hole is too large and the installation is not secure, repeat the first three steps, then align the two mounting plates with the screw holes.



**5** Tighten the four screws to secure the mounting plates.



**6** Finally, secure the device using screws.



Home Office or Study Room

- 

Office
- 

Home office
- 

Kitchen
- 

Study room
- 

Café



Kitchen Island








Café or Lounge area


INTERNATIONAL MODULES CUSTOMIZATION OPTIONS


USB POWER MODULES

- 

F21-QC4  
30W Dual port USB-A & USB-C  
charger with PD, QC3.0 protocols
- 


F21-C6  
21W Dual port  
USB-A & USB-C
- 


F21-C9  
21W Dual port  
USB-C + USB-C
- 


F21-C2B  
10.5W Dual port  
USB-A & USB-C
- 


F21-QC9  
20W Dual port USB-A & USB-C  
charger with PD protocol


POWER MODULES


- 


F3  
Euro/US two-pin Outlet
- 


F30  
South African Outlet  
SANS164-2
- 


F37  
Italian Outlet
- 


F40  
Brazilian Outlet
- 


F4AU  
Australian Outlet
- 


F5  
Multi-standard Outlet
- 


F46  
Danish Outlet
- 


F6-D1  
Schuko Outlet 45°
- 

F7  
Israel Outlet
- 

F8  
Euro/US Outlet
- 

F9  
British Outlet
- 

F30  
South African Outlet  
SANS164-1
- 

F36  
French Outlet
- 

F45  
Swiss Outlet

KEYSTONE MODULES

- 

RJ45 CAT6 HDMI
- 

Keystone USB-C  
& USB-A3.0 data\*